

UNCLASSIFIED

AD NUMBER

AD839031

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited.

FROM:

Distribution authorized to U.S. Gov't. agencies and their contractors;
Administrative/Operational Use; MAY 1968. Other requests shall be referred to U.S. Army Materiel Command, Attn: AMCPM-IR, St. Louis, MI 63166.

AUTHORITY

USAAVSCOM ltr, 12 Nov 1973

THIS PAGE IS UNCLASSIFIED



AD

RDTE PROJECT NO. 1X179191D684

USAAVCOM PROJECT NO. 67-07

USAAVNTA PROJECT NO. 67-07

**ANALYTICAL STUDY
OF RANGE PERFORMANCE
OF A UH-1C HELICOPTER EQUIPPED
WITH A LYCOMING T53-L-13 ENGINE**

LETTER REPORT

RODGER L. FINNESTEAD
PROJECT OFFICER

MAY 1968

US ARMY AVIATION TEST ACTIVITY
Edwards Air Force Base, California 93523

DEPARTMENT OF THE ARMY
US ARMY AVIATION TEST ACTIVITY
Edwards Air Force Base, California 93523

SAVTE-P

1 September 1968

SUBJECT: Change No. 1 to Letter Report for Analytical Study of Range
Performance of a UH-1C Helicopter Equipped with a Lycoming
T53-L-13 Engine, USAAVNTA Project No. 67-07.


SEE DISTRIBUTION (INCLOSURE II)

The following change is made to subject letter report:

- a. Page 4, paragraph 6b, change "b. For high altitude heavy weight, long range missions at range performance are improved (para 5c)." to read
- b. For high altitude heavy weight, long range missions, the range performance is improved (para 5c and 5d).

FOR THE COMMANDER:

1 Incl
as


CURTIS W. PIERCE
1LT, AGC,
Adjutant

RDTE PROJECT NO. 1X179191D684
USAAVCOM PROJECT NO. 67-07
USAAVNTA PROJECT NO. 67-07

ANALYTICAL STUDY
OF RANGE PERFORMANCE
OF A UH-1C HELICOPTER EQUIPPED
WITH A LYCOMING T53-L-13 ENGINE

LETTER REPORT

RODGER L. FINNESTEAD
PROJECT OFFICER

MAY 1968

US ARMY AVIATION TEST ACTIVITY
Edwards Air Force Base, California 93523

DDC Availability Notice

US military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through the Commanding General, Hq, US Army Materiel Command (USAMC), ATTN: AMCPM-IR, St. Louis, Missouri 63166.

Reproduction Limitations

Reproduction of this document in whole or in part is prohibited except with permission obtained through the Commanding General, Hq, USAMC, ATTN: AMCPM-IR, St. Louis, Missouri 63166. DDC is authorized to reproduce the document for United States Government purposes.

Disposition Instructions

Destroy this report when it is no longer needed. Do not return it to the originator.

Trade Names

The use of trade names in this report does not constitute an official endorsement or approval of the use of the commercial hardware and software.

Distribution

This document may be further distributed by any holder only with specific prior approval obtained through the Commanding General, Hq, USAMC, ATTN: AMCPM-IR, St. Louis, Missouri 63166.

U. S. ARMY AVIATION TEST ACTIVITY
Edwards Air Force Base, California 93523

SUBJECT: Letter Report of Analytical Study of the Range Performance of a UH-1C Helicopter Equipped with a Lycoming T53-L-13 Engine.

Commanding General
US Army Aviation Materiel Command
ATTN: AMSAV-ER

1. REFERENCES:

a. Technical Report, US Army Aviation Test Activity (USAAVNTA) Project Number 62-28, "Engineering Flight Test of the UH-1B Helicopter Equipped with the Model 540 Rotor System, Phase D," December 1960.

b. Technical Report, USAAVNTA Project Number 66-04, "Interim Report Engineering Flight Test of the UH-1H Helicopter, Phase D Product Improvement Test," August 1967.

c. Technical Report No. 204-947-125, "Detail Specification for UH-1B Utility Helicopter, FY 64 Procurement," Bell Helicopter Company, 20 May 1963, as amended 20 January 1965.

d. Technical Report No. 204-100-149, "Flight Test Results of a Lycoming Model T53-L-13 Engine Installed in a UH-1C Helicopter, P.I.P. Task No. 6-11A," Bell Helicopter Company, 27 January 1967.

e. Specification No. 104.33, "Model Specification T53-L-13 Shaft Turbine Engine," Lycoming Division of AVCO Corporation, 30 September 1964, as amended 6 May 1966.

f. Technical Manual, TM 55-1520-211-12, "Operator's Manual Army UH-1A and UH-1B Helicopters," Department of the Army.

2. BACKGROUND:

On 25 May 1967, the USAAVNTA was directed to analytically evaluate the range performance of a UH-1C helicopter equipped with

SUBJECT: Letter Report of Analytical Study of the Range Performance of a UH-1C Helicopter Equipped with a Lycoming T53-L-13 Engine.

a Lycoming T53-L-13 shaft turbine engine. The T53-L-13 engine Model Specification (ref e, para 1) was to be used when developing the fuel consumption and power relationships. The engine inlet characteristics presented in reference a, paragraph 1, were to be incorporated into the analysis.

3. TEST OBJECTIVES:

The objective of this study was to analytically evaluate the range performance of the UH-1C helicopter when equipped with a Lycoming T53-L-13 shaft turbine engine.

4. DESCRIPTION OF MATERIEL:

The T53-L-13 is a free turbine engine rated at 1400 shaft horsepower (shp) derated to 1100 shp for installation in UH-1 series helicopters. The increase in power and improved acceleration characteristics of the T53-L-13 engine are accomplished by modification of the axial compressor, addition of variable inlet guide vanes, addition of a second-stage gas producer turbine, and addition of a second-stage power turbine. This modification results in a weight increase of approximately 34 pounds which includes 30 pounds increase in engine weight.

5. RESULTS AND DISCUSSION:

a. General - This report presents the analytical evaluation of the range performance of a UH-1C helicopter equipped with a T53-L-13 free turbine engine. The stability and control characteristics presented in reference a, paragraph 1 were also reviewed for possible problem areas that might be encountered when installing the T53-L-13 engine in the UH-1C helicopter.

b. The range summary of the UH-1C helicopter equipped with a T53-L-13 was analytically evaluated using references a and e, paragraph 1. The inlet characteristics and shp required for level flight were derived from reference a and the fuel flow versus shp was obtained from reference e. The data presented in this report are applicable to an inlet that does not have a particle separator installed. Figure 1 and 2, inclosure 1, present the estimated range performance summary.

SUBJECT: Letter Report of Analytical Study of the Range Performance of a UH-1C Helicopter Equipped with a Lycoming T53-L-13 Engine.

c. The range performance of the UH-1C helicopter equipped with the T53-L-13 engine was analytically found to be substantially increased over that equipped with the T53-L-11 engine and is presented in table 1.

Table 1. Standard Day Range Performance Comparison.

Altitude = 5000 feet
Rotor Speed = 324 rpm
C.G. Mid

Gross Weight lb	Cruise Airspeed V_T - knots			Specific Range at Cruise Airspeed - nautical air mile/lb		
	T53-L-11	T53-L-13	% Increase	T53-L-11	T53-L-13	% Increase
7500	111.5	126.0	13.0	.211	.214	1.5
8500	109.5	125.5	14.6	.195	.204	4.6
9500	105.5	115.0	9.0	.166	.181	9.0

d. The greatest increase in recommended cruise airspeed occurred at a gross weight of 8500 pounds. However, the specific range increased with increasing gross weight. This calculated increase in cruise airspeed and specific range will greatly enhance the mission capability of UH-1C helicopters. The increase in mission capability would also be dependent on satisfactory handling qualities, vibration characteristics and component service life at the increased cruise airspeed. The affect of increased weight must be considered in assessing the effects of improved power economy. If mission takeoff gross weight is held constant at 8500 pounds, payload is reduced at mission ranges below 150 nautical air miles and increased at greater ranges.

e. The hovering and climb performance should also be significantly increased with the installation of the T53-L-13 turbine engine when the vehicle is operated at atmospheric conditions where transmission torque limits cannot be reached.

SUBJECT: Letter Report of Analytical Study of the Range Performance of a UH-1C Helicopter Equipped with a Lycoming T53-L-13 Engine .

f. Performance and stability and control testing should be conducted on a UH-1C helicopter with the T53-L-13 engine installed. After reviewing the findings in references a, b and d, paragraph 1, this testing is mandatory. The testing will evaluate any changes in the aircraft flight envelope that may be realized with the installation of the T53-L-13 engine. The test program would also yield necessary information to update the appropriate US Army manuals and verify that no safety-of-flight conditions exist.

6. CONCLUSIONS:

a. The T53-L-13 engine installed adds to the aircraft empty weight and may compromise the pay load capability (para 5d).


b. For high altitude heavy weight, long range missions at range performance are improved (para 5c).

c. The increased power available should improve the performance capability; greater benefits being derived as atmospheric conditions become more severe (para 5e).

7. RECOMMENDATIONS:

Engineering flight testing of the UH-1C helicopter with the T53-L-13 engine installed be performed to determine if the previously established flight envelope will be affected and to verify the calculation performance .

- 3 Incl
1. Test Data
2. Distribution
3. DD Form 1473



JOHN W. ELLIOTT
Colonel, TC
Commanding

INCLOSURE I. TEST DATA

FIGURE NO. 1
 LEVEL FLIGHT RANGE SUMMARY
 UH-1C
 5000 FT STANDARD DAY
 324 ROTOR RPM
 MID CENTER OF GRAVITY

SPECIFIC RANGE AT RECOMMENDED
 CRUISE AIRSPEED - NAUTICAL AIR
 MILE PER POUND OF FUEL

.24
 .22
 .20
 .18
 .16
 .14
 .12



RECOMMENDED CRUISE
 AIRSPEED - AT .99 NAMPP
 - KNOT TAS

140
 130
 120
 110
 100
 90

5000 6000 7000 8000 9000 10000
 GROSS WEIGHT - POUNDS.





FIGURE NO. 2
 LEVEL FLIGHT RANGE SUMMARY
 UH-1C
 T53-L-13
 STANDARD DAY
 324 ROTOR RPM
 CENTER OF GRAVITY



INCLOSURE II. DISTRIBUTION

<u>Agency</u>	<u>Test Plans</u>	<u>Equipment Failure Reports</u>	<u>Interim Reports</u>	<u>Final Reports</u>
Commanding General				
US Army Aviation Materiel Command				
ATTN: AMSAV-EF	5	2	5	15
AMSAV-ERS	2	-	2	2
AMSAV-EA	2	-	2	2
AMSAV-ADR	-	-	-	2
AMSAV-FL	-	-	-	1
AMSAV-W	2	-	-	2
	(wpns only)			(wpns only)
PO Box 209				
St. Louis, Missouri 63166				
Commanding General				
US Army Materiel Command				
ATTN: AMCRD	2	1	1	2
AMCAD-S	-	-	-	1
AMCPP	-	-	-	1
AMCMR	2	-	-	2
AMCQA	-	-	-	1
Washington, D. C. 20315				
Commanding General				
US Army Materiel Command				
ATTN: AMCPM-IR	5	1	1	5
PO Box 209				
St. Louis, Missouri 63166				
Commanding General				
US Army Combat Developments Command				
ATTN: USACDC LnO	11	4	11	11
PO Box 209				
St. Louis, Missouri 63166				
Commanding General				
US Continental Army Command				
ATTN: DCSIT-SCH-PD	-	-	-	1
Fort Monroe, Virginia 23351				

<u>Agency</u>	<u>Test Plans</u>	<u>Equipment Failure Reports</u>	<u>Interim Reports</u>	<u>Final Reports</u>
Commanding General US Army Test and Evaluation Command				
ATTN: AMSTE-BG	2	2	2	2
USMC LnO	1	-	1	1
Aberdeen Proving Ground, Md 21005				
Commanding Officer US Army Aviation Materiel Laboratories				
ATTN: SAVFE-SO, M.Lee	-	-	-	1
SAVFE-TD	-	-	-	2
SAVFE-AM	-	-	-	1
SAVFE-AV	-	-	-	1
SAVFE-PP	-	-	-	1
Fort Eustis, Virginia 23604				
Commanding General US Army Aviation Center Fort Rucker, Alabama 36362	1	1	1	1
Commandant US Army Primary Helicopter School Fort Wolters, Texas 76067	1	1	1	1
President US Army Aviation Test Board Fort Rucker, Alabama 36362	1	1	1	1
Director US Army Board for Aviation Accident Research Fort Rucker, Alabama 36362	-	1	1	1
President US Army Maintenance Board Fort Knox, Kentucky 40121	-	-	-	1

<u>Agency</u>	<u>Test Plans</u>	<u>Equipment Failure Reports</u>	<u>Interim Reports</u>	<u>Final Reports</u>
Commandant US Marine Corps Washington, D.C. 20315	-	-	-	1
Director US Marine Corps Landing Force Development Center Quantico, Virginia 22133	1	-	1	2
Commander US Air Force, Aeronautical Systems Division ATTN: ASZTB Wright Patterson Air Force Base, Ohio 45433	-	-	-	1
Commanding General Air Force Flight Test Center ATTN: FTBPP-2	-	-	-	5
FTTE Edwards Air Force Base, California 93523	-	-	-	2
Naval Air System Command Headquarters (A530122) Department of the Navy Washington, D. C. 20350	-	-	-	1
Commander Naval Air Test Center (FT23) Patuxent River , Maryland 20670	1	-	-	1
Defense Documentation Center Cameron Station Alexandria, Virginia 22314	-	-	-	20

<u>Agency</u>	<u>Test Plans</u>	<u>Equipment Failure Reports</u>	<u>Interim Reports</u>	<u>Final Reports</u>
Commanding General US Army Electronics Command ATTN: AMS&L-VL-D Fort Monmouth, New Jersey 07703	-	-	-	1

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D		
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author) US ARMY AVIATION TEST ACTIVITY EDWARDS AIR FORCE BASE, CALIFORNIA 93523		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED
		2b. GROUP
3. REPORT TITLE ANALYTICAL ENGINEERING STUDY OF RANGE PERFORMANCE OF A UH-1C HELICOPTER EQUIPPED WITH A LYCOMING T53-L-13 ENGINE.		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Letter Report 25 May 1967 - 8 May 1968		
5. AUTHOR(S) (First name, middle initial, last name) Rodger L. Finnestead, Project Officer		
6. REPORT DATE May 1968	7a. TOTAL NO. OF PAGES 11	7b. NO. OF REFS 6
8a. CONTRACT OR GRANT NO.	9a. ORIGINATOR'S REPORT NUMBER(S) USAAVNTA Project No. 67-01	
b. PROJECT NO. USAAVCOM Project No. 67-01		
c.	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.	N/A	
10. DISTRIBUTION STATEMENT US military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through the Commanding General, Hq, US Army Materiel Command (USAMC), ATTN: AMCPM-IR, St. Louis, Missouri 63166		
11. SUPPLEMENTARY NOTES NONE	12. SPONSORING MILITARY ACTIVITY Commanding General US Army Materiel Command ATTN: AMCPM-IR St. Louis, Missouri 63166	
13. ABSTRACT This letter report presents the estimated range performance of the UH-1C helicopter equipped with a Lycoming T53-L-13 engine. The range performance was analytically found to be substantially increased. This calculated increase in cruise airspeed and range factor will greatly enhance the mission capability of this helicopter. However, this increase would be dependent on satisfactory handling qualities and vibration characteristics at the increased cruise airspeed. Therefore, engineering flight testing of the UH-1C helicopter is considered to be mandatory when the T53-L-13 engine is installed.		

DD FORM 1473

1 NOV 66

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED

Security Classification

UNCLASSIFIED

Security Classification

14.	KEY WORDS	LINK A		LINK B		LINK C	
		ROLE	WT	ROLE	WT	ROLE	WT
	Range performance UH-1C T53-L-13 engine Handling qualities and vibration characteristics						

UNCLASSIFIED

Security Classification